08/917044 04/21/98

```
FILE 'EPO' ENTERED AT 08:44:16 ON 21 APR 1998
                       G P I
     EUROPEAN PATENT ABSTRACTS
     FILE 'JPO' ENTERED AT 08:44:16 ON 21 APR 1998
                      G P I
      JAPANESE PATENT ABSTRACTS
     => s 111
FILE 'EPO'
       16068 POST
        6524 POSTS
       20299 POST
              (POST OR POSTS)
        2652 CONSUMER
         762 CONSUMERS
        3155 CONSUMER
              (CONSUMER OR CONSUMERS)
          34 POST CONSUMER
              (POST (W) CONSUMER)
       13806 RECYCL?
         416 ?VIRGIN
        9025 ?PURE
       71274 PLASTIC
       21894 PLASTICS
       90608 PLASTIC
              (PLASTIC OR PLASTICS)
       77579 CONTAINER
       23682 CONTAINERS
       87478 CONTAINER
              (CONTAINER OR CONTAINERS)
        8802 BOTTLE
        5698 BOTTLES
       11736 BOTTLE
              (BOTTLE OR BOTTLES)
         256 (POST CONSUMER OR RECYCL? OR ?VIRGIN OR ?PURE) (P) PLASTIC
(P)
             (CONTAINER OR BOTTLE)
       18088 CONTAMINA?
        4137 MIGRAT?
        6570 MULTILAYER?
       41748 MULTI
           1 MULTIS
       41749 MULTI
              (MULTI OR MULTIS)
      147148 LAYER?
        4738 MULTI LAYER?
              (MULTI(W) LAYER?)
```

```
1 MULTIS
         41749 MULTI
                 (MULTI OR MULTIS)
        147148 LAYER?
          4738 MULTI-LAYER?
                 (MULTI(W) LAYER?)
         10572 POLYETHYLENE
           147 POLYETHYLENES
         10642 POLYETHYLENE
                 (POLYETHYLENE OR POLYETHYLENES)
          5438 POLYPROPYLENE
            73 POLYPROPYLENES
          5483 POLYPROPYLENE
                 (POLYPROPYLENE OR POLYPROPYLENES)
          8919 FLUORIN?
           105 EVOH
         14825 ETHYLENE
            39 ETHYLENES
         14849 ETHYLENE
                 (ETHYLENE OR ETHYLENES)
         15940 VINYL
            11 VINYLS
         15950 VINYL
                 (VINYL OR VINYLS)
         18438 ALCOHOL
          6030 ALCOHOLS
         22898 ALCOHOL
                 (ALCOHOL OR ALCOHOLS)
           308 ETHYLENE VINYL ALCOHOL
                 (ETHYLENE (W) VINYL (W) ALCOHOL)
             9 EVAL
          2506 SCRAP
           217 SCRAPS
          2684 SCRAP
                 (SCRAP OR SCRAPS)
          3329 TRIM
           218 TRIMS
          3493 TRIM
                 (TRIM OR TRIMS)
             0 L6 AND L7 AND L10
L13
FILE 'JPO'
         18163 POST
          2686 POSTS
         19739 POST
                 (POST OR POSTS)
           562 CONSUMER
           293 CONSUMERS
           820 CONSUMER
                 (CONSUMER OR CONSUMERS)
             0 POST CONSUMER
                (POST (W) CONSUMER)
          7694 RECYCL?
           253 ?VIRGIN
         14717 ?PURE
         54082 PLASTIC
          7607 PLASTICS
         59869 PLASTIC
                 (PLASTIC OR PLASTICS)
         72245 CONTAINER
          6529 CONTAINERS
         74324 CONTAINER
                 (CONTAINER OR CONTAINERS)
          5461 BOTTLE
          1213 BOTTLES
```

41748 MULTI

```
5979 BOTTLE
                 (BOTTLE OR BOTTLES)
            50 (POST CONSUMER OR RECYCL? OR ?VIRGIN OR ?PURE) (P) PLASTIC
(P)
                 (CONTAINER OR BOTTLE)
         25047 CONTAMINA?
          5572 MIGRAT?
         22625 MULTILAYER?
         45493 MULTI
            18 MULTIS
         45503 MULTI
                  (MULTI OR MULTIS)
        483818 LAYER?
          5800 MULTI LAYER?
                  (MULTI (W) LAYER?)
         45493 MULTI
            18 MULTIS
         45503 MULTI
                  (MULTI OR MULTIS)
        483818 LAYER?
          5800 MULTI-LAYER?
               (MULTI (W) LAYER?)
         34216 POLYETHYLENE
          125 POLYETHYLENES
         34251 POLYETHYLENE
                 (POLYETHYLENE OR POLYETHYLENES)
         14927 POLYPROPYLENE
            34 POLYPROPYLENES
         14936 POLYPROPYLENE
                 (POLYPROPYLENE OR POLYPROPYLENES)
         19024 FLUORIN?
           211 EVOH
             1 EVOHS
           211 EVOH
                 (EVOH OR EVOHS)
         39525 ETHYLENE
             8 ETHYLENES
         39530 ETHYLENE
                 (ETHYLENE OR ETHYLENES)
         46386 VINYL
            39 VINYLS
         46405 VINYL
                 (VINYL OR VINYLS)
         48596 ALCOHOL
          3699 ALCOHOLS
         51194 ALCOHOL
                 (ALCOHOL OR ALCOHOLS)
           787 ETHYLENE VINYL ALCOHOL
                 (ETHYLENE (W) VINYL (W) ALCOHOL)
            11 EVAL
          2941 SCRAP
          1176 SCRAPS
          3777 SCRAP
                  (SCRAP OR SCRAPS)
          3004 TRIM
           236 TRIMS
          3178 TRIM
                 (TRIM OR TRIMS)
L14
             0 L6 AND L7 AND L10
TOTAL FOR ALL FILES
```

L15

0 L11

08/917044 04/21/98

```
=> s 428/421/ccls and plastic (w) (container or bottle)
          1290 428/421/CCLS
        451774 PLASTIC
        111733 PLASTICS
        505436 PLASTIC
                 (PLASTIC OR PLASTICS)
        220433 CONTAINER
        105597 CONTAINERS
        249633 CONTAINER
                 (CONTAINER OR CONTAINERS)
         48679 BOTTLE
         30054 BOTTLES
         62142 BOTTLE
                 (BOTTLE OR BOTTLES)
         11942 PLASTIC (W) (CONTAINER OR BOTTLE)
L1
            19 428/421/CCLS AND PLASTIC (W) (CONTAINER OR BOTTLE)
=> s multilayer? or multi layer? and recycle? and polycontinuous
<----> User Break---->
SEARCH ENDED BY USER
=> s multilayer? or multi layer? and recycle? and continuous
         32399 MULTILAYER?
        215211 MULTI
            15 MULTIS
        215213 MULTI
                 (MULTI OR MULTIS)
        558868 LAYER?
         28356 MULTI LAYER?
                 (MULTI(W) LAYER?)
         75261 RECYCLE?
        519587 CONTINUOUS
             1 CONTINUOUSES
        519588 CONTINUOUS
                 (CONTINUOUS OR CONTINUOUSES)
L2
         32750 MULTILAYER? OR MULTI LAYER? AND RECYCLE? AND CONTINUOUS
=> s 11 and 12
             4 L1 AND L2
T.3
=> d 1-
1. 5,543,217, Aug. 6, 1996, Amorphous copolymers of tetrafluoroethylene
and hexafluoropropylene; Richard A. Morgan, 428/375; 106/38.2, 38.22;
174/110FC; 359/580; 425/436R; 428/421, 422, 463; 526/247, 250, 253,
254, 255 [IMAGE AVAILABLE]
2. 5,225,257, Jul. 6, 1993, Fluorine treatment of stretch/cling films;
Patrick Brant, 428/34.9; 156/244.11; 428/421, 516, 520, 522; 525/240
[IMAGE AVAILABLE]
```

3. 4,880,675, Nov. 14, 1989, Hot-fillable plastic containers; Rajendra K. Mehta, 428/35.7; 215/12.2, 379, 400; 264/83; 427/230, 236;

428/215, 421, 476.1, 516, 518, 520 [IMAGE AVAILABLE]

4. 4,115,619, Sep. 19, 1978, Highly reflective multilayer metal/polymer composites; Virgil B. Kurfman, et al., 428/336, 31, 332, 335, 412, 418, 421, 422, 423.7, 424.8, 425.8, 437, 457, 458, 460, 461, 463, 475.5 [IMAGE AVAILABLE]

=> d 1 ab

US PAT NO:

5,543,217 [IMAGE AVAILABLE]

L3: 1 of 4

ABSTRACT:

Amorphous tetrafluoroethylene copolymers having a hexafluoropropylene content up to 29 mol % with the hexafluoropropylene units being uniformly distributed throughout the copolymer.

=> d kwic

US PAT NO:

5,543,217 [IMAGE AVAILABLE]

L3: 1 of 4

US-CL-CURRENT: 428/375; 106/38.2, 38.22; 174/110FC; 359/580; 425/436R;

428/421, 422, 463; 526/247, 250, 253, 254, 255

SUMMARY:

BSUM (43)

Coatings . . . the amorphous TFE/HFP copolymers of this invention can be a sole coating on a substrate, or a component of a multilayer coating. For example, a TFE/HFP copolymer coating of this invention can be used as a first or primer, intermediate, or final coating in a multilayer fluoropolymer coating system. The coatings of this invention include coatings resulting from several successive applications of dispersion or solution to.

DETDESC:

DETD (14)

Approximately 800 g of the product dispersion was poured into a plastic bottle and then placed in a freezer at -20.degree. C. for three days. The bottle of dispersion was then thawed out.

=> s 428/903.3/ccls and multilayer? plastic (container or botttle) and polypropylene and polyethylene

MISSING OPERATOR 'PLASTIC (CONTAINER'

=> s 428/903.3/ccls and multilayer? plastic (w) (container or botttle) and polypropylene and polyethylene

274 428/903.3/CCLS

32399 MULTILAYER?

451774 PLASTIC

111733 PLASTICS

505436 PLASTIC

(PLASTIC OR PLASTICS)

293 MULTILAYER? PLASTIC

(MULTILAYER? (W) PLASTIC)

220433 CONTAINER

105597 CONTAINERS

249633 CONTAINER

(CONTAINER OR CONTAINERS)

17 BOTTTLE

30 MULTILAYER? PLASTIC (W) (CONTAINER OR BOTTTLE)

109439 POLYPROPYLENE 4007 POLYPROPYLENES

110579 POLYPROPYLENE

(POLYPROPYLENE OR POLYPROPYLENES)

200299 POLYETHYLENE

7280 POLYETHYLENES

201543 POLYETHYLENE

(POLYETHYLENE OR POLYETHYLENES)

L4 TTL 2 428/903.3/CCLS AND MULTILAYER? PLASTIC (W) (CONTAINER OR BOT

E) AND POLYPROPYLENE AND POLYETHYLENE

=> d 1-

- 1. 5,712,009, Jan. 27, 1998, Coextruded multilayer plastic container utilizing post consumer plastic; Duane H. Moore, et al., 428/35.7; 206/524.1, 524.6; 215/12.1; 264/454; 428/36.92, 500, 542.8, 903.3; 525/240 [IMAGE AVAILABLE]
- 2. 3,940,001, Feb. 24, 1976, Recyclable plastic containers; Albert J. Haefner, et al., 215/12.2; 220/460; 229/3.5R; 426/106; 428/2, 35.7, 36.6, 903.3 [IMAGE AVAILABLE]

=> d 1-2 ab

US PAT NO:

5,712,009 [IMAGE AVAILABLE]

L4: 1 of 2

ABSTRACT:

A coextruded multilayer plastic container utilizing post consumer plastic resin comprising an appearance enhancing thin outer layer of ethylene polymers, which enhances the appearance of the container, an intermediate layer comprising a fusion blend of post consumer resin with or without colorant and a third layer comprising a fusion blend of post consumer resin which may have mixed colors. In a modified and preferred form, a fourth inner layer of virgin ethylene polymer is provided.

US PAT NO:

3,940,001 [IMAGE AVAILABLE]

L4: 2 of 2

ABSTRACT:

A recyclable blow molded, injection blow molded or injection molded plastic container having laminated walls that include a frangible load-bearing lamina and a non-frangible fluid-barrier lamina which can be easily separated from each other in a crushing operation and recycled to make another container.

=> d 1 kwic

US PAT NO:

5,712,009 [IMAGE AVAILABLE]

L4: 1 of 2

TITLE:

Coextruded multilayer plastic container

utilizing post consumer plastic

US-CL-CURRENT: 428/35.7; 206/524.1, 524.6; 215/12.1; 264/454; 428/36.92,

500, 542.8, 903.3; 525/240

ABSTRACT:

A coextruded multilayer plastic container utilizing post consumer plastic resin comprising an appearance enhancing thin outer layer of ethylene polymers, which enhances the appearance of. . .

SUMMARY:

BSUM(4)

Specifically when containers are made from recycled post consumer high density **polyethylene** homopolymers (HDPE) container scrap, it has been found that the containers have diminished physical properties. Such containers made of high density **polyethylene** homopolymers also have been used for packaging of certain types of liquid detergent products. The use of such containers to. . .

SUMMARY:

BSUM(5)

It has been suggested that such post consumer resin be utilized because large quantities of high density **polyethylene** post consumer resin are available due to the extensive use of high density **polyethylene** in large containers for milk and water. Post consumer resin from such containers contains contaminants of paper and other plastic. . .

SUMMARY:

BSUM(6)

In . . . from a fusion blend of a post consumer resin and ethylene polymers comprising post consumer resin of homopolymer high density **polyethylene** plastic and virgin high density **polyethylene** copolymer resin. The physical properties of the container including stress crack resistance are maintained as contrasted to the loss of.

SUMMARY:

BSUM(7)

In accordance with the aforementioned application, pellets of a homopolymer high density **polyethylene** resin from post consumer resin (PCR) and pellets of a virgin high density **polyethylene** copolymer were mixed and fusion blended. Containers were blow molded and subjected to testing for stress cracking, top load and. . .

SUMMARY:

BSUM(8)

In . . . a fusion blend of a post consumer plastic and ethylene polymers and comprising post consumer resin of homopolymer high density polyethylene resin and a small amount of linear low density polyethylene resin. In another form, the container is made from a blend of post consumer homopolymer high density polyethylene resin, virgin high density polyethylene resin with a small amount of linear low density polyethylene resin. The physical properties of the container including stress cracks resistance are maintained as contrasted to the loss of such. . .

DETDESC:

DETD(5)

The plastic resin of the outer layer A may comprise a fusion blend of ethylene copolymers such as linear low density **polyethylene**, low density **polyethylene**, high density **polyethylene**, or mixtures thereof and an appearance enhancing additive.

DETDESC:

DETD(7)

The thin plastic layer B may comprise a fusion blend of ethylene

```
polymer, preferably virgin high density polyethylene or post consumer
resin and an appearance enhancing additive which will mask the post
consumer resin in the thick layer.
DETDESC:
DETD(8)
 Post consumer resin contains primarily the plastic from high density
polyethylene homopolymer containers used for packaging milk and
colored plastic containers and possible polypropylene resin from
syrup bottles, multi-layer ketchup bottles and caps. Such post consumer
resin may have the properties set forth in.
DETDESC:
DETD (10)
 The thin inner layer D, when used, comprises ethylene copolymers such as
virgin high density polyethylene or linear low density
polyethylene.
DETDESC:
DETD(13)
 The low density polyethylene homopolymer comprises utilized in the
outer layer has a melt index of at least 2 and preferably less than 1;.
DETDESC:
DETD(14)
 The low density polyethylene comprises the outside high gloss layer.
The low density polyethylene has melt index of at least 2 and
preferably less than 1 and will have a density mzx of 0.93.
DETDESC:
DETD (20)
 Thin layer A--glossy high density polyethylene and pearlescent
  additive
DETDESC:
DETD(23)
 Thin layer D--virgin high density polyethylene and colorant
DETDESC: `
DETD (25)
 Thin layer A--glossy high density polyethylene
DETDESC:
DETD (28)
 Thin layer D--virgin high density polyethylene and colorant
DETDESC:
DETD(30)
 Thin layer A--glossy low density polyethylene
```

DETDESC:

DETD (33) Thin layer D--virgin high density polyethylene DETDESC: DETD (37) Thin layer A--virgin high density polyethylene, glossy high density polyethylene and linear low density polyethylene DETDESC: **DETD (43)** In this form, the third layer C' comprises post consumer recycled polyethylene resin, process trim and offware scrap. An adhesive layer (not shown) is provided between the layer B and layer C' and also between layer C' and layer D' for layer adhesion. This adhesive layer comprises a nylon/polyethylene adhesive. CLAIMS: CLMS(2) 2. . . . claim 1 wherein said thin outer plastic layer comprises ethylene polymers selected from the group consisting of linear low density polyethylene, low density polyethylene, high density polyethylene, or mixtures thereof. CLAIMS: CLMS(3) 3. . . . whereto said thin intermediate plastic layer comprises a fusion blend of post consumer resin primarily the plastic from high density polyethylene homopolymer containers used for packaging milk and colorant. CLAIMS: CLMS(5) 5. . . wherein said thin intermediate plastic layer comprises a fusion blend of post consumer resin primarily the plastic from high density polyethylene homopolymer containers used for packaging milk and colorant. CLAIMS: CLMS (10) 10. . . layer of post consumer resin and said further inner layer of solvent resistant plastic, each said adhesive layer comprising a nylon/polyethylene adhesive. CLAIMS: CLMS (11) 11. The plastic container set forth in claim 7 wherein said thin layer overlying said thin layer comprises virgin high density polyethylene. CLAIMS: CLMS (15)

15. . . claim 14 wherein said thin outer plastic layer comprises

ethylene polymers selected from the group consisting of linear low density polyethylene, low density polyethylene, high density polyethylene, or mixtures thereof.

CLAIMS:

CLMS (16)

16. . . . in claim 15 wherein said intermediate plastic layer comprises a fusion blend of post consumer resin primarily from high density **polyethylene** homopolymer containers used for packaging milk and colorant.

CLAIMS:

CLMS (18)

18. . . . in claim 15 wherein said intermediate plastic layer comprises a fusion blend of post consumer resin primarily from high density **polyethylene** homopolymer containers used for packaging milk and colorant.

CLAIMS:

CLMS (23)

23. . . . layer of post consumer resin and said further inner layer of solvent resistant plastic, each said adhesive layer comprising a nylon/polyethylene adhesive.

CLAIMS:

CLMS (24)

24. The method set forth in claim 20 wherein said thin layer comprises virgin high density polyethylene.

=> s 428/903.3/ccls and multilayer? plastic (container or botttle) and polyethylene and (voh or ethylene vinyl alcohol or eval)

MISSING OPERATOR 'PLASTIC (CONTAINER'

=> s 428/903.3/ccls and multilayer? plastic (w) container or botttle) and polyethylene and (voh or ethylene vinyl alcohol or eval)

UNMATCHED RIGHT PARENTHESIS 'BOTTTLE) AND'

=> s 428/903.3/ccls and multilayer? plastic (w) (container or botttle) and polyethylene and (voh or ethylene vinyl alcohol or eval)

274 428/903.3/CCLS

32399 MULTILAYER?

451774 PLASTIC

111733 PLASTICS

505436 PLASTIC

(PLASTIC OR PLASTICS)

293 MULTILAYER? PLASTIC

(MULTILAYER? (W) PLASTIC)

220433 CONTAINER

105597 CONTAINERS

249633 CONTAINER

(CONTAINER OR CONTAINERS)

17 BOTTTLE

30 MULTILAYER? PLASTIC (W) (CONTAINER OR BOTTTLE)

200299 POLYETHYLENE

7280 POLYETHYLENES

```
201543 POLYETHYLENE
                 (POLYETHYLENE OR POLYETHYLENES)
           259 VOH
        193173 ETHYLENE
           905 ETHYLENES
        193341 ETHYLENE
                 (ETHYLENE OR ETHYLENES)
        144982 VINYL
          1849 VINYLS
        145617 VINYL
                 (VINYL OR VINYLS)
        219310 ALCOHOL
        131596 ALCOHOLS
        252515 ALCOHOL
                 (ALCOHOL OR ALCOHOLS)
          2308 ETHYLENE VINYL ALCOHOL
                 (ETHYLENE (W) VINYL (W) ALCOHOL)
           868 EVAL
             4 EVALS
           868 EVAL
                 (EVAL OR EVALS)
L5
             0 428/903.3/CCLS AND MULTILAYER? PLASTIC (W) (CONTAINER OR BOT
TTL
               E) AND POLYETHYLENE AND (VOH OR ETHYLENE VINYL ALCOHOL OR. E
VAL
               )
=> s 428/903.3/ccls and multilayer? plastic (w) (container or botttle) and
polyethylene and (evoh or ethylene vinyl alcohol or eval)
           274 428/903.3/CCLS
         32399 MULTILAYER?
        451774 PLASTIC
        111733 PLASTICS
        505436 PLASTIC
                 (PLASTIC OR PLASTICS)
           293 MULTILAYER? PLASTIC
                 (MULTILAYER? (W) PLASTIC)
        220433 CONTAINER
        105597 CONTAINERS
        249633 CONTAINER
                 (CONTAINER OR CONTAINERS)
            17 BOTTTLE
            30 MULTILAYER? PLASTIC (W) (CONTAINER OR BOTTTLE)
        200299 POLYETHYLENE
          7280 POLYETHYLENES
        201543 POLYETHYLENE
                 (POLYETHYLENE OR POLYETHYLENES)
          1033 EVOH
            10 EVOHS
          1033 EVOH
                 (EVOH OR EVOHS)
        193173 ETHYLENE
           905 ETHYLENES
        193341 ETHYLENE
                 (ETHYLENE OR ETHYLENES)
        144982 VINYL
          1849 VINYLS
        145617 VINYL
                 (VINYL OR VINYLS)
        219310 ALCOHOL
        131596 ALCOHOLS
        252515 ALCOHOL
                 (ALCOHOL OR ALCOHOLS)
          2308 ETHYLENE VINYL ALCOHOL
                 (ETHYLENE (W) VINYL (W) ALCOHOL)
```

```
4 EVALS
           868 EVAL
                 (EVAL OR EVALS)
             0 428/903.3/CCLS AND MULTILAYER? PLASTIC (W) (CONTAINER OR BOT
L6
TTL
               E) AND POLYETHYLENE AND (EVOH OR ETHYLENE VINYL ALCOHOL OR
EVA
               L)
=> s 428/903.3/ccls and multilayer? plastic (w) (container or botttle) and
polyethylene and fluorin? polyethylene
           274 428/903.3/CCLS
         32399 MULTILAYER?
        451774 PLASTIC
        111733 PLASTICS
        505436 PLASTIC
                 (PLASTIC OR PLASTICS)
           293 MULTILAYER? PLASTIC
                 (MULTILAYER? (W) PLASTIC)
        220433 CONTAINER
        105597 CONTAINERS
        249633 CONTAINER
                 (CONTAINER OR CONTAINERS)
            17 BOTTTLE
            30 MULTILAYER? PLASTIC (W) (CONTAINER OR BOTTTLE)
        200299 POLYETHYLENE
          7280 POLYETHYLENES
        201543 POLYETHYLENE
                 (POLYETHYLENE OR POLYETHYLENES)
         78162 FLUORIN?
        200299 POLYETHYLENE
          7280 POLYETHYLENES
        201543 POLYETHYLENE
                 (POLYETHYLENE OR POLYETHYLENES)
           158 FLUORIN? POLYETHYLENE
                 (FLUORIN? (W) POLYETHYLENE)
             0 428/903.3/CCLS AND MULTILAYER? PLASTIC (W) (CONTAINER OR BOT
L7
TTL
               E) AND POLYETHYLENE AND FLUORIN? POLYETHYLENE
```

868 EVAL

08/917044 04/21/98

- 5,693,283, Dec. 2, 1997, Container with recycled plastic; Gregory M. Fehn, 264/513; 215/12.1; 264/512, 515, 918; 428/36.6, 36.7 [IMAGE AVAILABLE]
- 2. 5,688,570, Nov. 18, 1997, Method and apparatus for forming a multi-layer preform; Frank A. Ruttinger, Sr., 428/35.7; **215/12.2**; 264/513, 515, 537, 539; 425/500, 522, 525, 532; 428/36.91, 167, 213, 542.8 [IMAGE AVAILABLE]
- 3. 5,676,267, Oct. 14, 1997, Multi-layer containers; William A. Slat, et al., 215/12.1; 220/454; 264/513, 515 [IMAGE AVAILABLE]
- 4. 5,645,183, Jul. 8, 1997, Multi-layer containers; William A. Slat, et al., 215/12.2, 12.1, 374; 220/454 [IMAGE AVAILABLE]
- 5. 5,688,572, Nov. 18, 1997, Multi-layer containers; William A. Slat, et al., 428/36.91; **215/12.2**; 428/35.7, 36.7, 36.9, 213, 542.8, 903.3 [IMAGE AVAILABLE]
- 6. 5,464,106, Nov. 7, 1995, Multi-layer containers; William A. Slat, et al., 215/12.1, 373; 220/454; D9/520 [IMAGE AVAILABLE]

=> d 2- ab

US PAT NO:

5,688,570 [IMAGE AVAILABLE]

L3: 2 of 6

ABSTRACT:

A preform mold assembly for the injection molding of a multi-layer preform for use in the blow molding of container. The preform mold assembly comprises a preform mold having a gate for receiving molten plastic material. The preform mold has a cavity with longitudinal axis and defines an inner surface. A core-pin is situated within the cavity and spaced from said inner surface. A preform cavity is formed between the inner surface of the cavity and the core-pin for receiving molten plastic from the gate. A threadsplit portion is situated within the cavity at a location remote from said gate. The inner surface of the cavity defines a plurality of flutes formed generally parallel to the cavity longitudinal axis and extend longitudinally along the inner surface of the mold to the threadsplit portion.

US PAT NO:

5,676,267 [IMAGE AVAILABLE]

L3: 3 of 6

ABSTRACT:

A multi-layer preform for forming multi-layer containers includes an extruded inner barrier layer containing polyethylene naphthalate, said inner layer having an upper portion adapted to be formed into an upper portion of a container, an intermediate portion adapted to be formed into an intermediate portion of a container, an extruded and a base portion adapted to form a base portion of a container. The preform includes an outer injection molded layer. The inner layer has a thickness which differs from the base portion to the upper portion.

US PAT NO:

5,645,183 [IMAGE AVAILABLE]

L3: 4 of 6

ABSTRACT:

A container including an upper wall portion formed from at least an inner

layer and an outer layer of material wherein the inner layer of material has a first thickness at the upper wall portion. The container also includes an intermediate side wall portion formed from at least the inner and the outer layer of material. The inner layer of material has a second thickness at the intermediate side wall portion which is thinner than the first thickness at the upper wall portion and the intermediate side wall portion is positioned beneath the upper wall portion. The container also includes a self-supporting base wall portion formed from at least the inner layer and the outer layer of material. The inner layer of material has a third thickness at the self-supporting base wall portion thicker than the second thickness at the intermediate side wall portion and the self-supporting base wall portion is positioned beneath the intermediate side wall portion and adapted to support the container.

US PAT NO: 5,688,572 [IMAGE AVAILABLE]

L3: 5 of 6

ABSTRACT:

A multi-layer preform for forming multi-layer containers includes an extruded upper portion having a first thickness which is adapted to form an upper portion of a container. The preform also includes an extruded intermediate portion having a second thickness thicker than the first thickness. The intermediate portion is connected with the upper portion and is adapted to form an intermediate body portion of the container. The preform also includes an extruded base portion having a third thickness thicker than the second thickness. The base portion is connected with the intermediate portion and is adapted form a base portion of the container. The portions of the preform are preferably formed from an inner layer and a barrier layer wherein the layers are co-extruded for forming the preform and an outer injection molded layer. In one embodiment, the inner layer includes a lip which overlaps the top edge of the barrier and outer layers. A multi-layer container is then formable from blow molding the preform.

US PAT NO:

5,464,106 [IMAGE AVAILABLE]

L3: 6 of 6

ABSTRACT:

A multi-layer preform for forming multi-layer containers includes an extruded upper portion having a first thickness which is adapted to form an upper portion of a container. The preform also includes an extruded intermediate portion having a second thickness thicker than the first thickness. The intermediate portion is connected with the upper portion and is adapted to form an intermediate body portion of the container. The preform also includes an extruded base portion having a third thickness thicker than the second thickness. The base portion is connected with the intermediate portion and is adapted form a base portion of the container. The portions of the preform are preferably formed from an inner layer and a barrier layer wherein the layers are co-extruded for forming the preform and an outer injection molded layer. In one embodiment, the inner layer includes a lip which overlaps the top edge of the barrier and outer layers. A multi-layer container is then formable from blow molding the preform.